

NO. 64975

APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED

NEW PRIORITY DATE:

Date of filing in State Engineer's Office -MAR-22-1999- JUL 21 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAR 23 1999

The applicant **Walden Properties, Joint Venture**, hereby makes application for permission to change the **point of diversion, place of use and manner of use of a portion**, of water heretofore appropriated under Permit No. 45501

1. The source of water is **Underground Sources**
2. The amount of water to be changed **0.045 cfs**
3. The water to be used for **Quasi-Municipal purposes**
4. The water heretofore permitted for **Irrigation and Domestic purposes**
5. The water is to be diverted at the following point **Lot 1 of Section 34, T.12N., R.70E., M.D.B.&M., whence the Northwest corner of said Section 34 bears N. 70°13'55"W., 2,704.61 feet distant.**
6. The existing permitted point of diversion is located within the **NW¼ SW¼ of Section 15, T.13N., R.70E., M.D.B.&M., whence the Southwest corner of said Section 15 bears S.07°35'41"W., 1,513.27 feet distant.**
7. Proposed place of use **Lot 1 and the NW¼ NE¼ of Section 34, T.12N., R.70E., M.D.B.&M.**
8. Existing place of use **a portion of the N½ N½ SW¼ NE¼ of Section 12, T.13N., R.70E., M.D.B.&M. 6 acres.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **drilled well, pump, motor, storage tanks and associated pipelines within the proposed place of use.**
12. Estimated cost of works **\$30,000.00**
13. Estimated time required to construct works **3 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **This application is proposed to service approximately 50 people year round for recreation pruposes at an estimated consumptive rate or 11.16 gpm, 24 hours per day, 365 days per year for an annual use of 5,864,918 million gallons.**

By s/Richard W. Forman
Richard W. Forman Agent
P.O. Box 150
Ely, NV 89301

Compared dl/cms hs/cm

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 45501 is issued subject to the terms and conditions imposed in said Permit 45501 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.045 cubic feet per second, but not to exceed 18.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 9, 2001

Proof of completion of work shall be filed before:

June 9, 2001

Water must be placed to beneficial use on or before:

May 9, 2002

Proof of the application of water to beneficial use shall be filed on or before:

June 9, 2002

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 9th day of, May A.D. 2000


State Engineer

Completion of work filed

JUN 09 2001


Proof of beneficial use filed

Cultural map filed

N/A

Certificate No.

Issued

CANCELLED **AUG 25 2003** **BECAUSE OF FAILURE**
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Can. Rescinded 3-16-04 **STATE ENGINEER**